Intertek	Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom Telephone: +44 (0) 116 263 0330 Facsimile: +44 (0) 116 263 0311/12 www.intertek.com/consumergoods	
TEST REPORT		
NUMBER: LECH0030332	9A1 Amendment	
APPLICANT: Pentel (Statio Hunts Rise South Marsto Swindon SN3 4TW		DATE: 12 <sup>th</sup> August 2009
For the attention of Ashley Stev	<u>vens</u>	
SAMPLE DESCRIPTION:	Colour Pen	
REFERENCE / STYLE NO.:	S360	
RETAILER:	Not specified	
SAMPLE RECEIVED:	3 <sup>rd</sup> August 2009	
PURCHASE ORDER:	Not specified	
TEST REQUEST:	BS7272-1: 2008 – Safety Caps for Writing an BS7272-2: 2008 – Specification for End Closu	-
CONCLUSION:	The results of the tests carried out <b>MEET</b> the The results of the tests carried out <b>DO NOT N</b>	•

Tests marked (#) in this Test Report are not included in the UKAS Accreditation Schedule for this Laboratory Opinions and interpretations expressed herein are outside the scope of UKAS Accreditation Tests marked (^) in this Test Report have been sub-contracted to an agent approved by Intertek



Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom

 Telephone:
 +44 (0) 116 263 0330

 Facsimile:
 +44 (0) 116 263 0311/12

 www.intertek.com/consumergoods

### NUMBER: LECH00303329A1 Amendment

This report details the clauses appropriate to this item. Those clauses not referred to were considered not applicable.

# Specification: BS7272-1: 2008 - Safety Caps for Writing and Marking Instruments

Section Test Results
----------------------

3	Requirements	
3.1	General - Items are deemed to meet the requirements of Section 3 if they satisfy Clauses 3.2 or 3.3.	
3.2	16mm Ring Gauge	*
3.3	Continuous Air Flow	Pass

4	Marking	
	a) Name/Tradename of Supplier	Pass

#### KEY

\* - This clause was evaluated to determine compliance with the standard. The pass criteria were not satisfied, therefore subsequent clauses were evaluated.

P = When evaluated, this sample passes the requirement of the standard, therefore no further tests are necessary.

F = Fail

N/A = Not Applicable

N/T = Not Tested

Date of Testing: 4<sup>th</sup> August 2009



 Telephone:
 +44 (0) 116 263 0330

 Facsimile:
 +44 (0) 116 263 0311/12

 www.intertek.com/consumergoods



# NUMBER: LECH00303329A1 Amendment

# Specification: BS7272-2: 2008 – Specification for End Closures for Writing and Marking Instruments

Section	Test	Results
---------	------	---------

4	Requirements	
4.1	General – End Closures shall conform with one of the following:	
4.2	Size	*
4.3	Security	*
4.4	Inaccessibility	*
4.5	Minimal protrusion	*
4.6	Air Flow	Fail – see comment

7	Identification		
	a) Name/Trade name of Supplier	Pass	

#### KEY

\* - This clause was evaluated to determine compliance with the standard. The pass criteria were not satisfied, therefore subsequent clauses were evaluated.

P = When evaluated, this sample passes the requirement of the standard, therefore no further tests are necessary.

F = Fail

N/A = Not Applicable

N/T = Not Tested

Date of Testing: 4<sup>th</sup> August 2009



Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom

 Telephone:
 +44 (0) 116 263 0330

 Facsimile:
 +44 (0) 116 263 0311/12

 www.intertek.com/consumergoods

### NUMBER: LECH00303329A1 Amendment

# Specification: BS7272-1: 2008 - Safety Caps for Writing and Marking Instruments

#### Clause 3.3 Ventilated caps air flow

Description	Width of tube used (mm)	% of tube to cap	Air flow in to cap (L/min)	Air flow out of cap (L/min)
Brown cap	9	80.07	>12	>12
Red cap	9.5	84.37	>12	>12
		Specification	8 minimum	8 minimum

### Specification: BS7272-2: 2008 – Specification for End Closures for Writing and Marking Instruments

#### Clause 4.3 Security

The end closures were subjected to a force applied in line with the body of the writing or marking instrument using a three prong puller, and the following results obtained:

Description	Force applied / Result		
Description	10 N	50 N	
Brown end cap	Did Not Detach	Detached	
Red end cap	Did Not Detach	Detached	

# Clause 4.6 End closures air flow

Description	Width of tube used (mm)	% of tube to end closure	Air flow in to end closure (L/min)	Air flow out of end closure (L/min)
Brown end cap	7	80.18	0	0
Red end cap	7	80.00	0	0



Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom

Telephone: +44 (0) 116 263 0330 Facsimile: +44 (0) 116 263 0311/12 www.intertek.com/consumergoods

# NUMBER: LECH00303329A1 Amendment



**END OF REPORT** 

PAGE 5 OF 5