

SAFETY DATA SHEET

Sheet Ref: SD 500-100-0027S

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

Product Name:

SUPER BLEACH (Less than 5% Available Chlorine)

Address/Tel:

Coventry Chemicals Limited Woodhams Road, Siskin Drive

Coventry, CV3 4FX

For technical and non-emergency calls Tel: 024 7663 9739 or Fax: 024 7663 9717

For advice on medical emergencies, fires, spillages or chemical hazards

Tel: 01865 407333 (24h)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Product Description: sodium hypochlorite solution, containing less than 5% nominal available chlorine.

| Hazardous Ingredients | EINECS No | CAS No | % | Symbol | R Phrases |
|--|-----------|-----------|----|--------|-----------|
| Sodium hypochlorite solution, available chlorine | 231-668-3 | 7681-52-9 | <5 | С | R31-34-50 |

3. HAZARDS IDENTIFICATION

Contact with acids liberates toxic gas (chlorine).

4. FIRST-AID MEASURES

Inhalation:

If exposed to chlorine or other vapours, remove to fresh air. Obtain medical

attention.

Remove contaminated clothing. Wash thoroughly with plenty of

running water. Obtain medical attention if symptoms develop.

Eye Contact:

Skin contact:

Keeping eye open, immediately irrigate with water or eyewash for at least 10

minutes.

Obtain medical attention immediately.

Ingestion:

Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give water to drink. Obtain medical attention immediately.

Date: August 2006 Page: 1 of 4 Sheet Ref: SD 500-100-0027S

Product Name: SUPER BLEACH (Less Than 5% Available Chlorine)

110duct Name. Set Ex BEEACH (Bess Than 576 Avanable Chief me)

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Water, foam or dry material.

Non- combustible but when involved in fires, toxic vapours (chlorine) will be evolved, thus a self-contained breathing apparatus should be worn.

6. ACCIDENTAL RELEASE MEASURES

Small Spillages: Dilute to waste with plenty of water.

Large Spillages: Absorb with sand, earth or granules (do not use sawdust or paper). Wash

down site with water

7. HANDLING AND STORAGE

Handling: Adequate ventilation is required. Avoid contact with skin and eyes.

Do not breathe mist. Avoid contact with other cleaning agents.

Storage: Store in a cool place away from direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PVC or rubber gloves, aprons, eyeshields when handling concentrate.

Workplace Exposure Limits:

Hazardous Ingredient LTEL 8hr TWA STEL

ppm mg/m³ ppm mg/m³

In case of chlorine emission, the OEL for chlorine should be observed:

Chlorine 0.5 1.5 1 2.9

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: clear pale yellow liquid

Odour: faintly chlorinous

pH: 12.0 typical

Relative Density (20°C): 4% solution typical 1.059

N/A

Solubility in water: soluble

Flash point °C:

Date: August 2006 Page: 2 of 4 Sheet Ref: SD 500-100-0027S

10. STABILITY AND REACTIVITY

Stability: Product decomposes over time. Factors that increase the rate of

decomposition are: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11, and

exposure to light.

Conditions to Avoid: Contact with metals, high temperatures and direct sun-light.

Do not mix with other cleaning products, particularly acids or

ammonia.

Materials to Avoid: Mildly corrosive to most metals, to painted surfaces and to most

organic materials.

Hazardous Decomposition Products: Chlorine gas.

11. TOXICOLOGICAL INFORMATION

Inhalation: Little hazard if stored correctly. Vapour containing chlorine irritates the nose,

throat and lungs.

Skin Contact: Repeated or prolonged contact with concentrate may cause irritation and

eventually dermatitis.

Eye Contact: Contact may irritate and inflame.

Ingestion: May irritate the mouth, throat and stomach.

12. ECOLOGICAL INFORMATION

To safeguard the environment, this product is rapidly broken down after use to common salt, oxygen and other harmless materials.

13. DISPOSAL CONSIDERATIONS

Product: Where practical, waste or surplus material should be recovered and recycled.

Dispose of according to national and local authority regulations for via an

appropriately licensed waste contractor.

Packaging: Packaging is recyclable and, where practical, containers and packaging

should be recycled by a licensed contractor. Wash out empty containers with

water before disposal.

Product Name: SUPER BLEACH (Less Than 5% Available Chlorine)

14. TRANSPORT INFORMATION

UN No:

Not classified as hazardous

Road Carriage: TREM Card No:

ADR/RID Class:

IMDG Class and Packing Group: Proper Shipping Name:

Marine Pollutant:

No

Intrastat/Commodity Code:

2828 90 00

REGULATORY INFORMATION 15.

CHIP Classification:

Not classified as hazardous

Hazard Symbol:

Risk Phrases:

R31

- Contact with acids liberates toxic gases.

Safety Phrases:

- Keep out of reach of children.

S24/25 - Avoid contact with skin or eyes. - Do not mix with other chemicals.

OTHER INFORMATION 16.

Text of the R-phrases that are allocated to the ingredients listed in section 2 of this safety data

R31 Contact with acids liberates toxic gas

R34 Causes burns

R50 Very toxic to aquatic organisms

August 2006 Date:

Revision: 08

(Revised sections are indicated by sidelining.)

PLEASE ENSURE THIS SAFETY DATA SHEET IS PASSED TO THE APPROPRIATE PERSONS IN YOUR COMPANY, WHO ARE CAPABLE OF ACTING ON THE INFORMATION.

This Data Sheet was prepared in accordance with directive 91/155/EEC and regulation 5 of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 or as amended. The information given is based on our knowledge of this product at the time of publication. Occupational exposure standards were taken from the current edition of EH40 (UK HSE).

The information this sheet contains does not constitute on its own the user's own assessment of workplace risk as required by other health and safety legislation eg, HSW ACT COSHH, MHSW Regulations or other. The user's attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended.

Date: August 2006 Page: 4 of 4 Sheet Ref: SD 500-100-0027S