#### SAFETY DATA SHEET

Page 1 of 3
Date of Issue: 20/05/10
ISSUE NO: 6

# 1: IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name: BEROL READYMIX

**Product Code:** S0786220 - S0786140

Supplier: Scolaquip

10 Dalton Way Middlewich Cheshire

CW10 0HU England

Tel: +44 (0) 1606 836076 Fax: +44 (0) 1606 841727

### 2: COMPOSITION/INFORMATION ON CONTENTS

NO HAZARDOUS MATERIALS IN FORMULATION

#### 3: HAZARDS IDENTIFICATION

No significant hazard.

#### 4: FIRST-AID MEASURES

After inhalation: N/A

After skin contact: Wash with soap and water

**After eye contact:** Rinse with copious amounts of water.

**After consumption:** Rinse mouth thoroughly and drink plenty of water.

#### 5: FIRE FIGHTING MEASURES

N/A

#### **6: WASTE/ACCIDENT DISCHARGE MEASURES**

No special precaustions. Rinse small amounts with water. Dispose of as household waste.

page 2 of 3

## **SAFETY DATA SHEET**

## 7: HANDLING AND STORAGE

**HANDLING:** Avoid injestion, eye and skin contact.

**STORAGE:** No special conditions.

### 8: LIMITATION OF EXPOSURE/PERSONAL PROTECTION

#### 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thick, coloured liquid

pH:

Boiling Point (°C): 100 Melting Point (°C): N/A

Decomposition Point (°C): 100

Flash Point (°C): N/A Explosive properties: N/A Steam pressure (kPa): As Water

Density (g/cm<sup>3</sup>): 1.42

Solubility (% by weight): Completely miscible in water

#### 10: STABILITY AND REATIVITY

Stable under normal conditions of use.

## 11: TOXICOLOGICAL INFORMATION

## 12: ECOTOXICOLOGICAL INFORMATION

Non toxic.

#### 13: DISPOSAL CONSIDERATIONS

Dispose as household waste.

#### 14: TRANSPORT INFORMATION

Freight classification: Not classified

## 15: REGULATORY INFORMATION

Chemicals (Hazard information and Packaging for Supply) regulations 1994: Not classified.

page 3 of 3

#### **SAFETY DATA SHEET**

(AM/AMF/PAM/SW/PEO)

16: ADDITIONAL INFORMATION  Data source: Raw material suppliers' Health & Safety Data Sheets.		
Dried films not easily re-dispersible in water. Wash out spillages and skin contamination before drying.  Paints may cause staining of skin and textile materials		
Do not peel dried films from skin, wash with warm soapy water.  If allergic reactions occur, prevent further skin contact.		
Signed:	Date:	