

TRUST S Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 14/04/2017

Revision date: 18/02/2016 : Version: 10.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Product identifier Product identifier Product identified Product identified Product and		OLEBEN	Date of Issue. 14/04/2017	Revision date. 10/02/2010	Version. 10.2
1.1. Product identifier Product name : Mixture Product name : TRUST S Product name : C055_5L Type of product : Biooide 1.2. Relevant identified uses : Consumer use Use of the substance or mixture and uses advised against : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Relevant identified uses : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Uses advised against : No additional information available SELDEN RESEARCH LIMITED safery dat STADEN LANE_BUXTON, DERBYSHRE, Skift 9R2, UNITED KINCOOM Tel: 01288 28226 Fax: 01289 28540 Emait safery Budden.co.u.k 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available ::::::::::::::::::::::::::::::::::::	1.1. Product identifier Product form : Mixture Product name : TRUST S Product code : C055_5L Product code : Discide 1.2. Relevant identified uses of the substance or mixture and uses advised against Image: Consumer use Use of the substance/mixture : Skin Sanitiser 1.2. Use advised against No additional information available SELDEN RESEARCH LIMITED safety dai STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01288 26266 Fac: 01288 26266 Email: safety Bielden.co.uk SELDEN RESEARCH LIMITED safety dai STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01288 26269 Email: safety Bielden.co.uk SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pn - 01298 26226 SECTION 2: Hazards identification Email: safety Bielden.co.uk SECTION 2: Hazard is Identification Email: safety Bielden.co.uk Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Lin, 2: H225 Full Lated Identements Section 16 22. Label elements Section 16 23. Other hazard Section 16 children Precautionary statements (CLP) <td< td=""><td>TRUST S</td><td></td><td></td><td>C053_5</td></td<>	TRUST S			C053_5
1.1. Product identifier Product name : Mixture Product name : TRUST S Product name : C055_5L Type of product : Biooide 1.2. Relevant identified uses : Consumer use Use of the substance or mixture and uses advised against : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Relevant identified uses : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Uses advised against : No additional information available SELDEN RESEARCH LIMITED safery dat STADEN LANE_BUXTON, DERBYSHRE, Skift 9R2, UNITED KINCOOM Tel: 01288 28226 Fax: 01289 28540 Emait safery Budden.co.u.k 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available ::::::::::::::::::::::::::::::::::::	1.1. Product identifier Product form : Mixture Product name : TRUST S Product code : C055_5L Product code : Discide 1.2. Relevant identified uses of the substance or mixture and uses advised against Image: Consumer use Use of the substance/mixture : Skin Sanitiser 1.2. Use advised against No additional information available SELDEN RESEARCH LIMITED safety dai STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01288 26266 Fac: 01288 26266 Email: safety Bielden.co.uk SELDEN RESEARCH LIMITED safety dai STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01288 26269 Email: safety Bielden.co.uk SECTION 2: Hazards identification Mon to Fri 8.30am to 5.00pn - 01298 26226 SECTION 2: Hazards identification Email: safety Bielden.co.uk SECTION 2: Hazard is Identification Email: safety Bielden.co.uk Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Lin, 2: H225 Full Lated Identements Section 16 22. Label elements Section 16 23. Other hazard Section 16 children Precautionary statements (CLP) <td< td=""><td>SECTION 1: Identification of</td><td>of the substance/mixtur</td><td>e and of the company/undertaking</td><td></td></td<>	SECTION 1: Identification of	of the substance/mixtur	e and of the company/undertaking	
Product form : Mixture Product name : TRUST S Product code : CO65_5L Type of product : Biocide 1.2. Relevant identified uses Hain use categopy : Consumer use Use of the substance/mixture : Skin Santiser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Safety dia STADEN LANE, PUYTON, DERBYSHIRE, SKI7 9R2, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26240 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 26250 Fax: 01298 26250 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 26250 Fax: 01298 26250 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 26250 Fax: 01298 26250 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 26250 Fax: 01298 26250 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 26250 Fax: 01298 26250 Email: safety Selden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Fax: 01298 1225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Fignal word (CLP) : Darger Hazard pictograms (CLP) : Darger Hazard pictograms (CLP) : Plo2: Keep out of reach of children Prode: Wasy from heat, hour suffaces, sparks, open flames and other ignition sources, No smoking Prode: Pa33 - Keep container tighty closed Pa33 - Keep container tighty closed Pa33 - Faza 5 Store in a well-ventiliated place. Keep cool	Product form : Mixture Product name : TRUST S Product code : C053_5L Type of product : Biocide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Sixh Sanitiser 1.2.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Safety dal STADEN LANE, BUXTON, DERBYSHIRE, SK17 SRZ, UNITED KINCDOM Tel: 01288 26226 : Fac: 01298 26226 : Email: safety disalder.oc.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazard's identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard statements (CLP) : Danger Precautionary statements (CLP) : P102 : Keep out of reach of advisor P102 : Keep out of reach of advisor P102 : Keep out of reach of advisor P103 : Keep continer tighty flormable liquid and vapour P104 : Keep out of reach of advisors, sparks, open flames and other ignition sources. No spassa P403 : Keep continer in the fuel Pace. Keep cool 2.1. Other hazards ESETION 3: Composition/information on ingredients ESETION 3: Composition/information on ingredients			e and of the company/undertaking	
Product name : TRUST S Product code : CodeS_SL Product code : CodeS_SL 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Safety da STADEN LANE, BUXTON, DERBYSHIRE, SKI7 9RZ, UNITED KINODOM Tel: 01289 26226 : Fax: 01289 26226 : Email: safety@selden.co.uk 2.1. Classification of the substance or mixture Classification and sources : Skin Sanitiser 2.2. Label elements 2.2. Label elements 2.2. Label elements 2.2. Label elements 2.2. Label elements 2.3. Classification (CP) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : : : : : : : : : : : : : : : : : :	Product name : TRUST S Product code : CO55_5L Product code : CO55_5L Since of product : Biocide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses Main use category : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Sinfety dat STADEN LANE, BUXTON, DEREVSINEE, Ski17, ORZ, UNITED KINCDOM Tel: 01289 20220 'Fax: 01289 20240' Ernail: safety/@States/@States/@States/ Product name : Skin7, ORZ, UNITED KINCDOM 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 Pax: 01289 20240' Ernail: safety/@States/ Patiential: safety/@States/ Patiential: safety/@States/ Patiential: Safety/States/ Patiential: Safety/States/ P		· Mixture		
Product code : C053_5L Type of product : Bicicide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.3. Relevant identified uses Wain use category : Consumer use Use of the substance/mixture : Skin Santitser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Safety dit STADEN LANE. BUXTON, DERBYSHIRE, SKI7 0RZ, LINITED KINGDOM Tel: 01298 26226 Fax: 01298 26226 Email: safety/Biselden.co.uk 14. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01288 26226 No additional information available SECTEON 2: Hazards Identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2 H225 Full text of hazard disases and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Diager Hazard pictograms (CLP) : Diager Hazard pictograms (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements	Product code : C053_5L Type of product : Biocide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Uses advised against We of the substance/mixture : Skin Santiiser 1.2. Uses advised against We additional information available SELDEN RESEARCH LIMITED Safety dia STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01288 26226 Fax: 01289 26240 Email: safety 8is elden.co.uk 14. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazard's identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture 2.2. Label elements 2.2. Label elements ELEDEN SECTION 2: Hazard's identification (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Fignal word (CLP) : Danger Hazard statements (CLP) : Pager Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of children Precautionary statements (CLP) : Pite Keep cont of reach of child				
Type of product : Biocide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Win use category : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED : Safety dat STADEN LANE. RUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGGOM Tel: 01298 26226 Fax: 01298 26226 Eault safetyHiselden.co.uk 1.4. Emergency telephone number : Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards Identification 2.1. Classification of the substance or mixture Classification of the substance or mixture 2.2. Label elements Extending to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard statements : see section 16 2.2. Label elements Extending according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Pinger Hazard statements : See section 16 2.3. Other hazards Signal word (CLP) : Pinger : Pinger Hazard statements (CLP) : Pinger Hazard statements : Pinger : Pinger Pinger word for Pinger : Pinger Pinger word for Pinger : Pinger Pinger word for Pinger : Pin	Type of product : Biocide 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Wein use category : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Relevant identified uses Main use category : Skin Sanitiser 1.2.1. Uses advised against No additional information available SELDEN RESEARCH LIMITED safety dat STADEN LANE, BUXTON, DERBYSHIRE, SK17 SR2, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26240 Email: safety@safden.co.uk SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard bickernents (CLP) : H225 - H140/H flammable liquid and vapour P210 - Keep arout of reach of children	Product code			
1.2.1. Relevant identified uses Main use category :: Consumer use Use of the substance/mixture :: Skin Sanitiser 1.2.1. Uses advised against No additional information available Status Safety dat STADEN LANE, BUXTON, DERBYSHIRE, SK17 GR2, UNITED KINGDOM Tel: 01288 26226 Fax: 01289 26240 Email: safety diselden.co.uk SELEN RESEARCH LIMITED Safety dat STADEN LANE, BUXTON, DERBYSHIRE, SK17 GR2, UNITED KINGDOM Tel: 01288 26226 Fax: 01289 26240 Email: safety diselden.co.uk SECTION 2: Hazards Identification Mon to Fri B.30am to 5.00pm - 01298 26226 SECTION 2: Hazards Identification E 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2: H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Exact pictograms (CLP) Hazard pictograms (CLP) :: Danger Hazard statements (CLP) :: H225 - Fighty fammable liquid and vapour Precautionary statements (CLP) :: H225 - Fighty fammable liquid and vapour Precautionary statements (CLP) :: H225 - Fighty fammable liquid and vapour Precautionary statements (CLP) :: H225 - Fighty fammable liquid and vapour Precautionary statements (CLP) :: H225 - Fighty fammable liquid and vapour P102 - Keep away from heat, hot sur	1.2.1. Relevant identified uses Main use category : Consumer use Use of the substance/mixture : Skin Sanitiser 1.2.1. Uses advised against No additional information available SELDEN RESEARCH LIMITED safety dat STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, LIMITED KINGDOM Tel: 01298 28228 - Fax: 01298 28226 - Fax: 01298 2826 - Fax: 01298 282 - Fax	Type of product	—		
Main use category :: Consumer use Use of the substance/mixture :: Skin Sanitiser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED Safety dit STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or or mixture Classification of the substance or mixture Classification of the substance or or mixture Classification of the substance or or mixture Classi	Main use category :: Consumer use Use of the substance/mixture :: Skin Santiser 1.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED :: Safety dil STADEN LANE, BUXTON, DERRYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards Identification 2.1. Classification of the substance or mixture Classification of the substance Classification of the substance or mixture Classification of the substance Classification of the substance Classification of the substance Classification of the substance Classification of the substan	1.2. Relevant identified uses	of the substance or mixture a	and uses advised against	
Use of the substance/mixture : Skin Sanitiser 1.2.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED Safety day STADEN LANE, BUXTON, DEREYSHIRE, SK17 9R2, UNITED KINGDOM Tel: 01290 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01296 26226 No additional information available SECTION 2: Hazards Identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Hazard statements (CLP) : Danger Hazard statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children Precautionary statements (CLP) : P102 - Keep out of reach of children Precautionary statements (CLP) : P102 - Keep out of reach of children Precautionary statements (CLP) : P102 - Keep out of reach of children Precautionary statements (CLP) : P102 - Keep out of reach of children Precautionary statements (CLP) : P102 - Keep out of reach of children P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards	Use of the substance/mixture : Skin Santiser 1.2.2. Uses advised against No additional information available SELDEN RESEARCH LIMITED Safety dat STADEN LANE, BUXTON, DERRYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26526 No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Film. Li 2. H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Danger Fignal word (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautionary statements (CLP) : H225 - Fighly flammable liquid and vapour Precautio	1.2.1. Relevant identified uses			
1.2.1. Uses advised against No additional information available SELDEN RESEARCH LIMITED Safety dai, STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk 1.4. Emergency telephone number Non to Fri 8.30am to 5.00pm - 01298 26226 No additional information available Mon to Fri 8.30am to 5.00pm - 01298 26226 SECTION 21 Hazards Identification Emergency telephone number No to Bri 8.30am to 5.00pm - 01298 26226 No Section according to Regulation (EC) No. 1272/2008 [CLP] Emergency telephone number Full text of hazard classes and H-statements : see section 16 Email: safety@section (CLP) Labeling according to Regulation (EC) No. 1272/2008 [CLP] Fax: 01298 2626 Hazard pictograms (CLP) : Danger Hazard pictograms (CLP) : Danger Precautionary statements (CLP) : H225 - Klephy Idmamable liquid and vapour Precautionary statements (CLP) : H225 - Klephy Idmamable liquid and vapour Precautionary statements (CLP) : H225 - Klephy Idmamable liquid and vapour Pril - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P33 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cod P403+P235 - Store in	1.2.1. Uses advised against No additional information available SELDEN RESEARCH LIMITED Safety dai, STADEN LANE, BUXTON, DERBYSHIRE, SK17 9R2, UNITED KINGDOM Te: 01298 26236 Frax: 01298 26240 Email: safety@selden.co.uk 1.4. Emergency telephone number No do to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) : Danger Hazard statements (CLP) Hazard statements (CLP) : H225 - Highly fimmable liquid and vapour P102 - Keep away from heat, hot surfaces, sparks, open filames and other ignition sources. No migging Word (CLP) Precautionary statements (CLP) : H225 - Keep out of reach of children P102 - Keep away from heat, hot surfaces, sparks, open filames and other ignition sources. No migging P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available SECTION 3: Composition/information on ingredients Store in a well-ventilated place. Keep cool	Main use category	: Consumer use		
No additional information available SELDEN RESEARCH LIMITED Safety dat STADEN LANE; BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01298 26228 Fax: 01298 26540 Email: safety@selden.o.o.uk An or of Fit 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 24 Hazard Sidentification Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 C.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Figure I Precautionary statements (CLP) Figure I	No additional information available SELDEN RESEARCH LIMITED Safety Gal STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01299 28258 Fax: 01299 28540 Email: safety@selden.co.uk 1.4. Emergency telephone number No no Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards Identification CLSSIfication of the substance or mixture CLSSIfication of the substance or mixture CLSSIfication according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Figure : Danger Figur	Use of the substance/mixture	: Skin Sanitiser		
No additional information available SELDEN RESEARCH LIMITED Safety dat STADEN LANE; BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Te: 01298 26228 Fax: 01298 26540 Email: safety@selden.o.o.uk An or of Fit 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 24 Hazard Sidentification Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 C.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Figure I Precautionary statements (CLP) Figure I	No additional information available SELDEN RESEARCH LIMITED Safety Gal STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Tel: 01299 28258 Fax: 01299 28540 Email: safety@selden.co.uk 1.4. Emergency telephone number No no Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards Identification CLSSIfication of the substance or mixture CLSSIfication of the substance or mixture CLSSIfication according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Figure : Danger Figur	1.2.2. Uses advised against			
1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) # Danger Hazard statements (CLP) Precautionary statements (CLP) P102 - Keep out of reach of childrin P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Store in a well-ventilated place. Keep cool 2. Colspan="2">Colspan="2">Container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool	1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) Highly flammable liquid and vapour Precautionary statements (CLP) Pilo 2: Keep out of reach of children Pilo 2: Keep orontainer tightly closed Pilo 2: Keep orontainer tightly closed Pilo 2: Keep container tightly closed Pilo 2: Keep container tightly	No additional information available			
1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Fam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) # Danger Hazard statements (CLP) Precautionary statements (CLP) P102 - Keep out of reach of childrin P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Store in a well-ventilated place. Keep cool 2. Colspan="2">Colspan="2">Container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool	1.4. Emergency telephone number Mon to Fri 8.30am to 5.00pm - 01298 26226 No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) Highly flammable liquid and vapour Precautionary statements (CLP) Pilo 2: Keep out of reach of children Pilo 2: Keep orontainer tightly closed Pilo 2: Keep orontainer tightly closed Pilo 2: Keep container tightly closed Pilo 2: Keep container tightly				
No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Flam. Liq. 2 H225 Signal word (CLP) Signal word	No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) Figure : Danger Hazard statements (CLP) Figure : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) Figure : P102 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container lightly closed P403+P235 - Store in a well-ventilated place. Keep cool	SELDEN RESEARCH LIMITED	safety dat STADEN LANE, Tel: 01298 26226	BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM Fax: 01298 26540 Email: safety@selden.co.uk	1
No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Flam. Liq. 2 H225 Signal word (CLP) Signal word	No additional information available SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) Figure : Danger Hazard statements (CLP) Figure : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) Figure : P102 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container lightly closed P403+P235 - Store in a well-ventilated place. Keep cool	1.4. Emergency telephone n	umber Mon to Fri 8.30	am to 5.00pm - 01298 26226	
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : GH302 Signal word (CLP) : : : Precautionary statements (CLP) : : : Precautionary statements (CLP) : : :	2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : Hazard pictograms (CLP) : : : <	No additional information available			
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : GH302 Signal word (CLP) : : : Precautionary statements (CLP) : : : Precautionary statements (CLP) : : :	2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : : Hazard pictograms (CLP) : : : <	SECTION 2. Horordo identi	fication		
Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Flazer GH302 Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Flazer Statements (CLP) Precautionary statements (CLP) P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool PX Other hazards No additional information available	Classification according to Regulation (EC) No. 1272/2008 [CLP] Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Stop and word (CLP) Precautionary statements (CLP) Prote - Keep ound for meat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool Pto additional information available SECTION 3: Composition/information on ingredients				
Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Flam. Liq. 2 Danger Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : P10 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool	Flam. Liq. 2 H225 Full text of hazard classes and H-statements : see section 16 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Pager P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Store in a well-ventilated place. Keep cool PA03+P235 - Store in a well-ventilated place. Keep cool SECTION 3: Composition/information on ingredients				
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : i i i i i i i i i i i i i i i i i i i	2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Figure : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P210 - Keep out of reach of children P210 - Keep out of reach of children P210 - Keep out of reach of children P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool	Flam. Liq. 2 H225	ation (EC) No. 12/2/2008 [CLF	1	
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool	Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool SECTION 3: Composition/information on ingredients	Full text of hazard classes and H-sta	atements : see section 16		
Hazard pictograms (CLP) :	Hazard pictograms (CLP) : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precauti	2.2. Label elements			
Signal word (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available	Signal word (CLP) : Danger Hazard statements (CLP) : H225 - Highly flammable liquid and vapour Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available SECTION 3: Composition/information on ingredients	Labelling according to Regulation Hazard pictograms (CLP)	(EC) No. 1272/2008 [CLP]		
 Hazard statements (CLP) Precautionary statements (CLP) P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available	 Hazard statements (CLP) H225 - Highly flammable liquid and vapour P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool Other hazards No additional information available SECTION 3: Composition/information on ingredients 				
Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available	Precautionary statements (CLP) P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P403+P235 - Store in a well-ventilated place. Keep cool SECTION 3: Composition/information on ingredients	• • • •	-	Te serve els la ll'en del serve	
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool 2.3. Other hazards No additional information available SECTION 3: Composition/information on ingredients		• ·		
No additional information available	No additional information available SECTION 3: Composition/information on ingredients	Precautionary statements (CLP)	P210 - Keep av smoking P233 - Keep co	way from heat, hot surfaces, sparks, open flames a ontainer tightly closed	and other ignition sources. No
	SECTION 3: Composition/information on ingredients	2.3. Other hazards			
SECTION 3: Composition/information on ingredients		No additional information available			
		SECTION 3: Composition/i	nformation on ingredier	nts	

Substance 3.1.

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol, ethyl alcohol substance with national workplace exposure limit(s) (GB, IE)	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	>= 60	F; R11	Flam. Liq. 2, H225

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of R- and H-statements: see section 16

SECTION 4: First aid me		
4.1. Description of first a		
First-aid measures general	: Get medical advice/attention if yo	
First-aid measures after inhalation	·	
First-aid measures after eye con	and easy to do. Continue rinsing	th water for several minutes. Remove contact lenses, if present I free irritation persists: Get medical advice/attention.
First-aid measures after ingestio	n : Do NOT Induce vomiting. Rinse	mouth. Drink plenty of water. Get medical advice/attention.
	otoms and effects, both acute and delayed	
Symptoms/injuries after eye con		
Symptoms/injuries after ingestio	n : May cause a light irritation of the	linings of the mouth, throat, and gastrointestinal tract.
4.3. Indication of any imm	nediate medical attention and special treatment n	eeded
Treat symptomatically.		
SECTION 5: Firefighting	measures	
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foa	am.
5.2. Special hazards arisi	ing from the substance or mixture	
Fire hazard	: Flammable liquid and vapour.	
5.3. Advice for firefighter	S	
No additional information availab		
SECTION 6: Accidental		
	s, protective equipment and emergency procedur	
General measures	: Remove ignition sources.	65
	. Remove ignition sources.	
6.1.1. For non-emergency	•	
No additional information availab	ble	
6.1.2. For emergency resp	onders	
No additional information availab	ble	
6.2. Environmental preca	utions	
No additional information availab	ble	
6.3. Methods and materia	al for containment and cleaning up	
For containment	: Collect spillage.	
Methods for cleaning up	: Soak up spills with inert solids, s	uch as clay or diatomaceous earth as soon as possible.
6.4. Reference to other s	ections	
For further information refer to s	ection 8: "Exposure controls/personal protection". For	r further information refer to section 13.
SECTION 7: Handling ar	d storage	
7.1. Precautions for safe		
Additional hazards when proces		re because residual vapours are flammable.
Precautions for safe handling	: Keep away from sources of igniti	
	storage, including any incompatibilities	
Technical measures	: Does not require any specific or	particular technical measures.
Storage conditions	: Store in a well-ventilated place.	
Incompatible products	: Oxidizing agent. Strong acids. St	
Incompatible materials	: Direct sunlight. Heat sources. So	purces of ignition.
7.3. Specific end use(s)		
No additional information availab	ble	
SECTION 8. Exposure o	ontrols/personal protection	
8.1. Control parameters		
ethanol, ethyl alcohol (64-17		
Ireland	Local name	Ethanol
Ireland	OEL (15 min ref) (ppm)	1000 ppm

Ethanol

Local name

United Kingdom

TRUST S

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol, ethyl alcohol (64-1	7-5)	
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm

8.2. Exposure controls

Materials for protective clothing	: Not required for normal conditions of use
Eye protection	: Not required for normal conditions of use
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Mobile liquid.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈78.3 °C
Flash point	: ≈ 18 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.87
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivit	у
10.1. Reactivity	
Flammable liquid and vapour.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No flames, no sparks. Eliminate all sources of	ignition.
10.5. Incompatible materials	
metals.	
10.6. Hazardous decomposition produc	ts
No additional information available	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
	pH: 7
Serious eye damage/irritation	: Not classified
	рН: 7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	n
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessme	ent
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	NDN
14.1. UN number	
UN-No. (ADR)	: 1170
UN-No. (IMDG)	: 1170
UN-No. (IATA)	: 1170

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IATA)	: ETHANOL SOLUTION
Transport document description (ADR)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
Transport document description (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II
14.3. Transport hazard class(es)	
ADR	
	_

Transport hazard class(es) (ADR)	:	3
Danger labels (ADR)	:	3

TRUST S

IMDG


ΙΑΤΑ

Safety Data Sheet

Danger labels (IMDG)

Hazard labels (IATA)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.4. Packing group	
Packing group (ADR)	: II
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 144, 601
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1170
Tunnel restriction code (ADR)	: D/E

: •2YE

EAC code

TRUST S

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Transport by sea

- mansport by sea	
Special provisions (IMDG)	: 144
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: E2 : Y341
PCA Limited quantities (IATA)	: Y341
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)	: Y341 : 1L
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: Y341 : 1L : 353
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA)	: Y341 : 1L : 353 : 5L
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA)	: Y341 : 1L : 353 : 5L : 364
PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA)	: Y341 : 1L : 353 : 5L : 364 : 60L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product